

Retail Rigid Sign Board with Printed Panel 300mm x 1500mm

ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only. Leave
 other layers as they are and do not
- Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All images must be converted to CMYK and be embedded in your artwork.

 All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Match to.

 Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size -

DO NOT RESIZE

2100100

This template includes 3mm bleed

(black line / stroke).



The overall size of this template is 76.5 (w) x 376.5 (h) mm



Product Graphic Area:

300 (w) x 1500 (h) mm

Safe Area: 280 (w) x 1395 (h) mm. This is the white safe area, keep all critical artwork within this area.

SAFE AREA

NON-VISIBLE AREA

This area will be hidden by the base, and will not be seen, so no images or logos to go inside this area.



Retail Rigid Sign Board with Printed Panel 600mm x 1500mm



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only. Leave
 other layers as they are and do not
 delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3 Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All images must be converted to CMYK and be embedded in your artwork.
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_{mm}

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 151.5 (w) x 376.5 (h) mm and includes bleed.



Product Graphic Area: 600 (w) x 1500 (h) mm

Safe Area:

580 (w) x 1395 (h) mm. This is the white safe area, keep all critical artwork within this area.

SAFE AREA

NON-VISIBLE AREA



Retail Rigid Sign Board with Printed Panel 800mm x 1500mm



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only. Leave
 other layers as they are and do not
 delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All images must be converted to CMYK and be embedded in your artwork.
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size -

DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 201.5 (w) x 376.5 (h) mm and includes bleed.



Product Graphic Area: 800 (w) x 1500 (h) mm

Safe Area:

780 (w) x 1395 (h) mm. This is the white safe area, keep all critical artwork within this area.

SAFE AREA



Retail Rigid Sign Board with Printed Panel 1000mm x 1500mm

ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only. Leave
 other layers as they are and do not
 delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3 Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All images must be converted to CMYK and be embedded in your artwork.
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 251.5 (w) x 376.5 (h) mm and includes bleed.



Product Graphic Area: 1000 (w) x 1500 (h) mm

Safe Area:

980 (w) x 1395 (h) mm. This is the white safe area, keep all critical artwork within this area.

SAFE AREA